

Alternative Decompositions for Distributed Maximization of Network Utility: Framework and Applications

Daniel P. Palomar

The Hong Kong University of Science and Technology (HKUST)

ELEC5470/IEDA6100A - Convex Optimization

The Hong Kong University of Science and Technology (HKUST)

Fall 2020-21

Outline of Lecture

- Motivation
- Review: dual decomposition for basic NUM
- Decomposition alternatives for generalized NUM
- Applications
- Summary

Introduction (I)


- Communication networks which are ubiquitous in modern society.
- We need to design and optimize network. How?
- Two extreme approaches naturally arise:
 - competitive networks: game-theoretic approach (distributed algorithms but not the best of the network)
 - cooperative networks: global optimization problem (best of the network but centralized algorithms).
- We want both features: i) best of the network and ii) distributed algorithms. Can we achieve that?

Introduction (II): NUM

- To design the network as a whole:
 - we will measure the “happiness” of a user through a utility function of the optimization variables: $U_i(\mathbf{x}_i)$
 - we will measure the “happiness” of the network with the aggregate utility: $\sum_i U_i(\mathbf{x}_i)$
- We will formulate the design of the network as the maximization of the aggregate utility of the users subject to a variety of constraints:

Network Utility Maximization (NUM)

Introduction (III)




- Consider the uplink problem formulation

$$\begin{aligned} & \underset{\{r_i, p_i\}}{\text{maximize}} && \sum_i U_i(r_i) \\ & \text{subject to} && r_i \leq \log(1 + g_i p_i) \quad \forall i \\ & && p_i \leq P_i. \end{aligned}$$

- It naturally decouples into parallel subproblems for each of the users, with solution: $r_i^* = \log(1 + g_i P_i)$.

Introduction (IV)



- Consider now the downlink problem formulation

$$\begin{aligned} & \underset{\{r_i, p_i\}}{\text{maximize}} && \sum_i U_i(r_i) \\ & \text{subject to} && r_i \leq \log(1 + g_i p_i) \quad \forall i \\ & && \sum_i p_i \leq P_T. \end{aligned}$$

- It does not decouple into parallel subproblems because of the coupling constraint: $\sum_i p_i \leq P_T$.

Introduction (V)

- Real problems do not decouple naturally.
- Centralized algorithms are theoretically possible but not desirable in practice (not scalable, not robust, too much signalling, not adaptive).
- Can we still obtain distributed algorithms to solve such coupled problems?
- The classical approach is to use a dual-decomposition to obtain a distributed solution.
- However, there are many other alternatives and we can obtain a variety of distributed implementations.

Introduction: Historical Perspective on NUM

- Multicommodity problems: design of algorithms for (fixed wireline) networks is old and goes back to the 1960s [FordFulkerson62] (see also [BertsekasGallager87][BertsekasTsitsiklis89]).
- From linear to convex utilities (fueled by recent developments in convex optim., e.g., Karmakar 1984, Nesterov&Nemirovsky 1988,1994).
- Recent renewed interest in this problem due to:
 - i) existence of wireless networks with nonfixed structure possibly time-varying, which requires efficient and highly distributed algorithms
 - ii) introduction of additional variables such as the power allocation in wireless networks (responsible for the “elastic” link capacities)

- iii) reverse engineering of existing networks: interpretation of currently working algorithms as distributed algorithms that solve some NUM. Paradigmatic example is the interpretation of TCP congestion algorithms in the Internet as (approximate) distributed primal-dual algorithms [Low2002].
- Main ingredient to obtain alternative distributed algorithms can be found in the so-called *decomposition techniques*, widely used in optimization theory [Lasdon70][BertsekasTsitsiklis89].
- Dual decomposition methods (among all the possibilities) seem to have enjoyed a far wider application.

Motivation: Basic NUM

- Basic NUM formulation:

$$\begin{aligned} & \underset{\mathbf{x} \geq 0}{\text{maximize}} && \sum_s U_s(x_s) \\ & \text{subject to} && \sum_{s:l \in L(s)} x_s \leq c_l \quad \forall l \end{aligned}$$

- Typically solved with a classical dual decomposition technique:
 - each source solves:

$$x_s^*(\lambda^s) = \arg \max_{x_s \geq 0} [U_s(x_s) - \lambda^s x_s] \quad \forall s$$

- each link updates prices:

$$\lambda_l(t+1) = \left[\lambda_l(t) - \alpha \left(c_l - \sum_{s:l \in L(s)} x_s^*(\lambda^s(t)) \right) \right]^+ \quad \forall l.$$

Motivation: NUM for QoS Rate Allocation

- Consider a NUM problem with different QoS classes (new coupling):

$$\begin{aligned} & \underset{\mathbf{x}, \mathbf{y}^{(1)}, \mathbf{y}^{(2)} \geq \mathbf{0}}{\text{maximize}} && \sum_s U_s(x_s) \\ & \text{subject to} && \sum_{s \in S_i: l \in L(s)} x_s \leq y_l^{(i)} \quad \forall l, i = 1, 2 \\ & && \mathbf{y}^{(1)} + \mathbf{y}^{(2)} \leq \mathbf{c} \\ & && \mathbf{c}_{\min}^{(i)} \leq \mathbf{y}^{(i)} \leq \mathbf{c}_{\max}^{(i)} \end{aligned}$$

where $y_l^{(i)}$ is aggregate rate of class i along l th link.


- In absence of coupling constraint, it becomes the basic NUM.

Building Blocks

- We will use the following fundamental building blocks:
 - i) primal/dual decompositions,
 - ii) indirect decompositions,
 - iii) multilevel decompositions: partial, recursive
 - iv) order of update: sequential, parallel
 - v) timescale of update: iterative, one-shot
- Standard dual-based algorithm: *direct single-level full dual decomposition.*

Review: Decomposition Techniques

- Idea: decompose original large problem into subproblems (locally solved) and a master problem (coordinating the subproblems):



- Signalling between master problem and subproblems.
- Alternative decompositions lead to different layered protocol architecture in the framework of **Layering as Optimization Decomposition**.

Review: Primal/Dual Decomposition Techniques

- Two main classes of decomposition techniques: *primal decomposition* and *dual decomposition*.
- Primal decomposition: *decompose original problem* by optimizing over one set of variables and then over the remaining set.
 - Interpretation: master problem directly allocates the existing resources to subproblems.
- Dual decomposition: *decompose dual problem* (obtained after a Lagrange relaxation of the coupling constraints)
 - Interpretation: master problem sets prices for the resources to subproblems.

Review: Dual Decomposition

- The dual of the following convex problem (with **coupling constraint**)

$$\begin{aligned} & \underset{\{\mathbf{x}_i\}}{\text{maximize}} && \sum_i f_i(\mathbf{x}_i) \\ & \text{subject to} && \mathbf{x}_i \in \mathcal{X}_i \quad \forall i, \\ & && \sum_i \mathbf{h}_i(\mathbf{x}_i) \leq \mathbf{c} \end{aligned}$$

is decomposed into subproblems:

$$\begin{aligned} & \underset{\mathbf{x}_i}{\text{maximize}} && f_i(\mathbf{x}_i) - \boldsymbol{\lambda}^T \mathbf{h}_i(\mathbf{x}_i) \\ & \text{subject to} && \mathbf{x}_i \in \mathcal{X}_i. \end{aligned}$$

and the master problem

$$\underset{\boldsymbol{\lambda} \geq \mathbf{0}}{\text{minimize}} \quad g(\boldsymbol{\lambda}) = \sum_i g_i(\boldsymbol{\lambda}) + \boldsymbol{\lambda}^T \mathbf{c}$$

where $g_i(\boldsymbol{\lambda})$ is the optimal value of the i th subproblem.

- The dual decomposition is in fact solving the dual problem instead of the original primal one.
- The dual problem is always convex but we need convexity of the original problem to have strong duality.
- To minimize the dual function $g(\boldsymbol{\lambda})$: gradient/subgradient method, which only requires the knowledge of subgradient of each $g_i(\boldsymbol{\lambda})$:

$$\mathbf{s}_i(\boldsymbol{\lambda}) = -\mathbf{h}_i(\mathbf{x}_i^*(\boldsymbol{\lambda})),$$

where $\mathbf{x}_i^*(\boldsymbol{\lambda})$ is the optimal solution of the i th subproblem for a given $\boldsymbol{\lambda}$.

Review: Primal Decomposition

- The following convex problem (with **coupling variable** \mathbf{y})

$$\begin{aligned} & \underset{\mathbf{y}, \{\mathbf{x}_i\}}{\text{maximize}} && \sum_i f_i(\mathbf{x}_i) \\ & \text{subject to} && \mathbf{x}_i \in \mathcal{X}_i \quad \forall i \\ & && \mathbf{A}_i \mathbf{x}_i \leq \mathbf{y} \\ & && \mathbf{y} \in \mathcal{Y} \end{aligned}$$

is decomposed into the subproblems:

$$\begin{aligned} & \underset{\mathbf{x}_i \in \mathcal{X}_i}{\text{maximize}} && f_i(\mathbf{x}_i) \\ & \text{subject to} && \mathbf{A}_i \mathbf{x}_i \leq \mathbf{y} \end{aligned}$$

and the master problem

$$\underset{\mathbf{y} \in \mathcal{Y}}{\text{maximize}} \quad \sum_i f_i^*(\mathbf{y})$$

where $f_i^*(\mathbf{y})$ is the optimal value of the i th subproblem.

- If the original problem is convex, then the subproblems as well as the master problem are all convex.
- To maximize $\sum_i f_i^*(\mathbf{y})$: a gradient/subgradient method, which only requires the knowledge of subgradient of each $f_i^*(\mathbf{y})$ given by

$$\mathbf{s}_i(\mathbf{y}) = \boldsymbol{\lambda}_i^*(\mathbf{y})$$

where $\boldsymbol{\lambda}_i^*(\mathbf{y})$ is the optimal Lagrange multiplier corresponding to the constraint $\mathbf{A}_i \mathbf{x}_i \leq \mathbf{y}$ in the i th subproblem.

- The global subgradient is then $\mathbf{s}(\mathbf{y}) = \sum_i \mathbf{s}_i(\mathbf{y}) = \sum_i \boldsymbol{\lambda}_i^*(\mathbf{y})$.
- The subproblems can be locally solved with the knowledge of \mathbf{y} .

Indirect Primal/Dual Decompositions (I)

- Different problem structures are more suited for primal or dual decompositions.
- We can change the structure and use either a primal or dual decomposition for the same problem.
- Key ingredient: introduction of **auxiliary variables**.
- This will lead to different algorithms for same problem.

Indirect Primal/Dual Decompositions (II)

- Consider the problem previously decomposed with a primal decomposition:

$$\begin{array}{ll} \text{maximize} & \sum_i f_i(\mathbf{x}_i) \\ & \mathbf{y}, \{\mathbf{x}_i\} \\ \text{subject to} & \mathbf{x}_i \in \mathcal{X}_i \quad \forall i \\ & \mathbf{A}_i \mathbf{x}_i \leq \mathbf{y} \\ & \mathbf{y} \in \mathcal{Y}. \end{array}$$

Indirect Primal/Dual Decompositions (III)

- It can also be solved with an indirect dual decomposition by first introducing the additional variables $\{\mathbf{y}_i\}$:

$$\begin{aligned} & \underset{\mathbf{y}, \{\mathbf{y}_i\}, \{\mathbf{x}_i\}}{\text{maximize}} && \sum_i f_i(\mathbf{x}_i) \\ & \text{subject to} && \mathbf{x}_i \in \mathcal{X}_i \quad \forall i \\ & && \mathbf{A}_i \mathbf{x}_i \leq \mathbf{y}_i \\ & && \mathbf{y}_i = \mathbf{y} \\ & && \mathbf{y} \in \mathcal{Y}. \end{aligned}$$

- We have transformed the coupling variable \mathbf{y} into a set of coupling constraints $\mathbf{y}_i = \mathbf{y}$ which can be dealt with using a dual decomposition.

Indirect Primal/Dual Decompositions (IV)

- Consider now the problem previously decomposed with a dual decomposition:

$$\begin{array}{ll} \text{maximize} & \sum_i f_i(\mathbf{x}_i) \\ \text{subject to} & \mathbf{x}_i \in \mathcal{X}_i \quad \forall i, \\ & \sum_i \mathbf{h}_i(\mathbf{x}_i) \leq \mathbf{c}. \end{array}$$

Indirect Primal/Dual Decompositions (V)


- It can also be solved with an indirect primal decomposition by introducing again additional variables $\{\mathbf{y}_i\}$:

$$\begin{aligned} & \underset{\{\mathbf{y}_i\}, \{\mathbf{x}_i\}}{\text{maximize}} && \sum_i f_i(\mathbf{x}_i) \\ & \text{subject to} && \mathbf{x}_i \in \mathcal{X}_i && \forall i \\ & && \mathbf{h}_i(\mathbf{x}_i) \leq \mathbf{y}_i \\ & && \sum_i \mathbf{y}_i \leq \mathbf{c}. \end{aligned}$$

- We have transformed the coupling constraint $\sum_i \mathbf{h}_i(\mathbf{x}_i) \leq \mathbf{c}$ into a coupling variable $\mathbf{y} = [\mathbf{y}_1^T, \dots, \mathbf{y}_N^T]^T$ which can be dealt with using a primal decomposition.

Multilevel Primal/Dual Decompositions (I)

- Hierarchical and recursive application of primal/dual decompositions to obtain smaller and smaller subproblems:



- Important technique that leads to alternatives of distributed architectures.

Multilevel Primal/Dual Decompositions (II)

- Example: consider the following problem which includes both a coupling variable and a coupling constraint:

$$\begin{aligned} & \underset{\mathbf{y}, \{\mathbf{x}_i\}}{\text{maximize}} && \sum_i f_i(\mathbf{x}_i, \mathbf{y}) \\ & \text{subject to} && \mathbf{x}_i \in \mathcal{X}_i && \forall i \\ & && \sum_i \mathbf{h}_i(\mathbf{x}_i) \leq \mathbf{c} \\ & && \mathbf{A}_i \mathbf{x}_i \leq \mathbf{y} \\ & && \mathbf{y} \in \mathcal{Y}. \end{aligned}$$

Multilevel Primal/Dual Decompositions (III)

- Decomposition #1: first take a primal decomposition with respect to the coupling variable \mathbf{y} and then a dual decomposition with respect to the coupling constraint $\sum_i \mathbf{h}_i(\mathbf{x}_i) \leq \mathbf{c}$. This would produce a two-level optimization decomposition: a master primal problem, a secondary master dual problem, and the subproblems.
- Decomposition #2: first take a dual decomposition and then a primal one.


Multilevel Primal/Dual Decompositions (IV)

- Example:

$$\begin{aligned} & \underset{\mathbf{x}}{\text{maximize}} && f_0(\mathbf{x}) \\ & \text{subject to} && f_i(\mathbf{x}) \leq 0 \quad \forall i \\ & && g_i(\mathbf{x}) \leq 0. \end{aligned}$$

- Decomposition #1 (dual-primal): first apply a full dual decomposition by relaxing both sets of constraints to obtain the dual function $g(\boldsymbol{\lambda}, \boldsymbol{\mu})$ and then a primal decomposition on the dual problem by minimizing g first over $\boldsymbol{\mu}$ and later over $\boldsymbol{\lambda}$: $\min_{\boldsymbol{\lambda}} \min_{\boldsymbol{\mu}} g(\boldsymbol{\lambda}, \boldsymbol{\mu})$.


Multilevel Primal/Dual Decompositions (V)



Multilevel Primal/Dual Decompositions (VI)

- Decomposition #2 (dual-dual): first apply a partial dual decomposition by relaxing only one set of constraints, say $f_i(\mathbf{x}) \leq 0, \forall i$, obtaining the dual function $g(\boldsymbol{\lambda})$ to be minimized by the master problem. But to compute $g(\boldsymbol{\lambda})$ for a given $\boldsymbol{\lambda}$, the partial Lagrangian has to be maximized subject to the remaining constraints $g_i(\mathbf{x}) \leq 0 \forall i$, for which yet another relaxation can be used.

Multilevel Primal/Dual Decompositions (VII)



Order and Timescale of Updates

- Order of updates:
 - Gauss-Seidel algorithm: optimize $f(\mathbf{x}_1, \dots, \mathbf{x}_N)$ sequentially.
 - Jacobi algorithm: optimize $f(\mathbf{x}_1, \dots, \mathbf{x}_N)$ in parallel.

- Timescale of updates:
 - Iterative update: gradient/subgradient methods
 - One-shot update
 - Several levels of decompositions: lowest levels updated on a faster timescale than higher levels.

Algorithms: Gradient/Subgradient Methods (I)

- After performing a decomposition, the objective function of the resulting master problem may or may not be differentiable.
- For differentiable/nondifferentiable functions a gradient/subgradient method is very convenient because of its simplicity, little requirements of memory usage, and amenability for parallel implementation.

Algorithms: Gradient/Subgradient Methods (II)

- Consider

$$\begin{array}{ll} \underset{\mathbf{x}}{\text{maximize}} & f_0(\mathbf{x}) \\ \text{subject to} & \mathbf{x} \in \mathcal{X}. \end{array}$$

- Both the gradient and subgradient projection methods generate a sequence of feasible points $\{\mathbf{x}(t)\}$ as

$$\mathbf{x}(t+1) = [\mathbf{x}(t) + \alpha(t) \mathbf{s}(t)]_{\mathcal{X}}$$

where $\mathbf{s}(t)$ is a gradient/subgradient of f_0 at $\mathbf{x}(t)$, $[\cdot]_{\mathcal{X}}$ denotes the projection onto \mathcal{X} , and $\alpha(t)$ is the stepsize.

Algorithms: Gradient/Subgradient Methods (III)

- Many results on convergence of the gradient/subgradient method with different choices of stepsize:
 - for a diminishing stepsize rule $\alpha(t) = \frac{1+m}{t+m}$, where m is a fixed nonnegative number, the algorithm is guaranteed to converge to the optimal value (assuming bounded gradients/subgradients).
 - for a constant stepsize $\alpha(t) = \alpha$, more convenient for distributed algorithms, the gradient algorithm converges to the optimal value provided that the stepsize is sufficiently small (assuming that the gradient is Lipschitz), whereas for the subgradient algorithm the best value converges to within some neighborhood of the optimal value (assuming bounded subgradients).

Algorithms: Gauss-Seidel and Jacobi Methods

- Gauss-Seidel algorithm (block-coordinate descent algorithm): optimize $f(\mathbf{x}_1, \dots, \mathbf{x}_N)$ sequentially:

$$\mathbf{x}_k^{(t+1)} = \arg \max_{\mathbf{x}_k} f \left(\mathbf{x}_1^{(t+1)}, \dots, \mathbf{x}_{k-1}^{(t+1)}, \mathbf{x}_k, \mathbf{x}_{k+1}^{(t)}, \dots, \mathbf{x}_N^{(t)} \right)$$

where t is the index for a global iteration.

- Jacobi algorithm: optimize $f(\mathbf{x}_1, \dots, \mathbf{x}_N)$ in parallel:

$$\mathbf{x}_k^{(t+1)} = \arg \max_{\mathbf{x}_k} f \left(\mathbf{x}_1^{(t)}, \dots, \mathbf{x}_{k-1}^{(t)}, \mathbf{x}_k, \mathbf{x}_{k+1}^{(t)}, \dots, \mathbf{x}_N^{(t)} \right).$$

- If the mapping defined by $T(\mathbf{x}) = \mathbf{x} - \gamma \nabla f(\mathbf{x})$ is a contraction for some γ , then $\{\mathbf{x}^{(t)}\}$ converges to solution \mathbf{x}^* geometrically.

Standard Algorithm for Basic NUM

- The standard dual-based algorithm is a one-level full dual decomposition.
- Network with L links, each with capacity c_l , and S sources transmitting at rate x_s . Each source s emits one flow, using a fixed set of links $L(s)$ in its path, and has a utility function $U_s(x_s)$:

$$\begin{array}{ll} \underset{\mathbf{x} \geq \mathbf{0}}{\text{maximize}} & \sum_s U_s(x_s) \\ \text{subject to} & \sum_{s:l \in L(s)} x_s \leq c_l \quad \forall l \end{array}$$

- This problem is solved with a single-level dual decomposition technique.

- Lagrangian:

$$\begin{aligned} L(\mathbf{x}, \boldsymbol{\lambda}) &= \sum_s U_s(x_s) + \sum_l \lambda_l \left(c_l - \sum_{s:l \in L(s)} x_s \right) \\ &= \sum_s [U_s(x_s) - \lambda^s x_s] + \sum_l \lambda_l c_l \end{aligned}$$

where $\lambda^s = \sum_{l \in L(s)} \lambda_l$.

- Each source maximizes its Lagrangian:

$$x_s^*(\lambda^s) = \arg \max_{x_s \geq 0} [U_s(x_s) - \lambda^s x_s] \quad \forall s.$$

- Master dual problem:

$$\underset{\boldsymbol{\lambda} \geq \mathbf{0}}{\text{minimize}} \quad g(\boldsymbol{\lambda}) = \sum_s g_s(\boldsymbol{\lambda}) + \boldsymbol{\lambda}^T \mathbf{c}$$

where $g_s(\boldsymbol{\lambda}) = L_s(x_s^*(\lambda^s), \lambda^s)$. To minimize the master problem a subgradient method can be used:

$$\lambda_l(t+1) = \left[\lambda_l(t) - \alpha \left(c_l - \sum_{s:l \in L(s)} x_s^*(\lambda^s(t)) \right) \right]^+ \quad \forall l.$$

Applic. 1: Power-Constrained Rate Allocation (I)

- Basic NUM problem but with variable link capacities $\{c_l(p_l)\}$:

$$\begin{aligned} & \underset{\mathbf{x}, \mathbf{p} \geq \mathbf{0}}{\text{maximize}} && \sum_s U_s(x_s) \\ & \text{subject to} && \sum_{s:l \in L(s)} x_s \leq c_l(p_l) \quad \forall l \\ & && \sum_l p_l \leq P_T. \end{aligned}$$

- Very simple problem, but already contains sufficient elements such that one can try different decompositions.
- We will consider: i) a primal decomposition with respect to the power allocation and ii) a dual decomposition with respect to the flow constraints.

Applic. 1: Power-Constrained Rate Allocation (II)

- **Primal decomposition:** fix the power allocation \mathbf{p} , the link capacities become fixed numbers and the problem reduces to a basic NUM solved by dual decomposition.
- Master primal problem:

$$\begin{array}{ll} \underset{\mathbf{p} \geq 0}{\text{maximize}} & U^*(\mathbf{p}) \\ \text{subject to} & \sum_l p_l \leq P_T, \end{array}$$

where $U^*(\mathbf{p})$ is the optimal objective value for a given \mathbf{p} .

- Subgradient of $U^*(\mathbf{p})$ with respect to c_l is given by the Lagrange multiplier λ_l associated with the constraint $\sum_{s:l \in L(s)} x_s \leq c_l$.

Applic. 1: Power-Constrained Rate Allocation (III)

- Subgradient of $U^*(\mathbf{p})$ with respect to p_l is given by $\lambda_l c'_l(p_l)$.
- Subgradient method for the master primal problem:

$$\mathbf{p}(t+1) = \left[\mathbf{p}(t) + \alpha \begin{bmatrix} \lambda_1^*(\mathbf{p}(t)) c'_1(p_1(t)) \\ \vdots \\ \lambda_L^*(\mathbf{p}(t)) c'_L(p_L(t)) \end{bmatrix} \right]_{\mathcal{P}}$$

where $[\cdot]_{\mathcal{P}}$ denotes the projection onto $\mathcal{P} \triangleq \{\mathbf{p} : \mathbf{p} \geq \mathbf{0}, \sum_l p_l \leq P_T\}$, which is a simplex.

- Due to the projection, this subgradient update cannot be performed independently by each link and requires some centralized approach.

Applic. 1: Power-Constrained Rate Allocation (IV)

- Projection: $\mathbf{p} = [\mathbf{p}_0]_{\mathcal{P}}$ is given by

$$p_l = (p_l^0 - \gamma)^+ \quad \forall l$$

where waterlevel γ is chosen as the minimum nonnegative value such that $\sum_l p_l \leq P_T$.

- Only the computation of γ requires a central node since the update of each power p_l can be done at each link.

Applic. 1: Power-Constrained Rate Allocation (V)

- **Dual decomposition:** relax the flow constraints $\sum_{s:l \in L(s)} x_s \leq c_l(p_l)$:

$$\begin{aligned} & \underset{\mathbf{x}, \mathbf{p} \geq 0}{\text{maximize}} && \sum_s \left[U_s(x_s) - \left(\sum_{l \in L(s)} \lambda_l \right) x_s \right] + \sum_l c_l(p_l) \lambda_l \\ & \text{subject to} && \sum_l p_l \leq P_T. \end{aligned}$$

- The master dual problem updates the λ_l 's as in the basic NUM.

Applic. 1: Power-Constrained Rate Allocation (VI)

- The Lagrangian decomposes into one maximization for each source, as in the basic NUM, plus the following maximization to update the power allocation:

$$\begin{aligned} & \underset{\mathbf{p} \geq \mathbf{0}}{\text{maximize}} && \sum_l \lambda_l c_l(p_l) \\ & \text{subject to} && \sum_l p_l \leq P_T \end{aligned}$$

which can be further decomposed via a second-level dual decomposition yielding the following subproblems

$$\underset{p_l \geq 0}{\text{maximize}} \quad \lambda_l c_l(p_l) - \gamma p_l$$

Applic. 1: Power-Constrained Rate Allocation (VII)

with solution given by

$$p_l = (c'_l)^{-1} (\gamma/\lambda_l)$$

and a secondary master dual problem that updates the dual variable γ as

$$\gamma(t+1) = \left[\gamma(t) - \alpha \left(P_T - \sum_l p_l^*(\gamma(t)) \right) \right]^+ .$$

Applic. 1: Power-Constrained Rate Allocation (VIII)

- Summary: We have obtained two different distributed algorithms for power-constrained rate allocation NUM:
 - **primal-dual decomposition**: master primal problem solved by a subgradient power update, which needs a small central coordination for the waterlevel, and for each set of powers the resulting NUM is solved via the standard dual-based decomposition.
 - * Two levels of decompositions: on the highest level there is a master primal problem, on a second level there is a secondary master dual problem, and on the lowest level the subproblems.

Applic. 1: Power-Constrained Rate Allocation (IX)

- **dual-dual decomposition:** master dual problem solved with the standard price update independently by each link and then, for a given set of prices, each source solves its own subproblem and the power allocation subproblem is solved with some central node updating the price and each link obtaining the optimal power.
- * Two levels of decompositions: on the highest level there is a master dual problem, on a second level there are rate subproblems and a secondary master dual problem, and on the lowest level the power subproblems.

Illustration of Decomp. of Network Utility Maxim.: Cellular Downlink Power-Rate Control (I)

- Problem:

$$\begin{aligned} & \underset{\{r_i, p_i\}}{\text{maximize}} && \sum_i U_i(r_i) \\ & \text{subject to} && r_i \leq \log(g_i p_i) \quad \forall i \\ & && p_i \geq 0 \\ & && \sum_i p_i \leq P_T. \end{aligned}$$

- Decompositions: i) primal, ii) partial dual, iii) full dual.
- Many variants of full dual decomposition: the master problem is

$$\underset{\lambda \geq 0, \gamma \geq 0}{\text{minimize}} \quad g(\lambda, \gamma)$$

and can be solved as listed next.

Illustration of Decomp. of Network Utility Maxim.: Cellular Downlink Power-Rate Control (II)

1. Direct subgradient update of $\gamma(t)$ and $\boldsymbol{\lambda}(t)$:

$$\gamma(t+1) = \left[\gamma(t) - \alpha \left(P_T - \sum_i p_i(t) \right) \right]^+$$
$$\boldsymbol{\lambda}(t+1) = [\boldsymbol{\lambda}(t) - \alpha (\log(g_i p_i(t))) - r_i(t)]^+.$$

2. Optimization of dual function $g(\boldsymbol{\lambda}, \gamma)$ with a Gauss-Seidel method optimizing $\boldsymbol{\lambda} \rightarrow \gamma \rightarrow \boldsymbol{\lambda} \rightarrow \gamma \rightarrow \dots$ (each λ_i is computed locally at each subnode in parallel):

$$\lambda_i = U'_i(\log(g_i \lambda_i / \gamma)) \quad \text{and} \quad \gamma = \sum_i \lambda_i / P_T.$$

Illustration of Decomp. of Network Utility Maxim.: Cellular Downlink Power-Rate Control (III)

3. Similar to 2), but optimizing $\lambda_1 \rightarrow \gamma \rightarrow \lambda_2 \rightarrow \gamma \rightarrow \dots$ (λ_i 's are not updated in parallel but sequentially).
4. Use an additional primal decomposition to minimize $g(\boldsymbol{\lambda}, \gamma)$ (multilevel decomposition): minimize $g(\gamma) = \inf_{\boldsymbol{\lambda} \geq \mathbf{0}} g(\boldsymbol{\lambda}, \gamma)$ via a subgradient algorithm (again, the λ_i 's are computed locally and in parallel).
5. Similar to 4), but changing the order of minimization: minimize $g(\boldsymbol{\lambda}) = \inf_{\gamma \geq 0} g(\boldsymbol{\lambda}, \gamma)$ via a subgradient algorithm.


Illustration of Decomp. of Network Utility Maxim.: Cellular Downlink Power-Rate Control (IV)

6. Similarly to 5), but with yet another level of decomposition on top of the primal decomposition of 5) (triple multilevel decomposition): minimize $g(\boldsymbol{\lambda})$ sequentially (Gauss-Seidel fashion) $\lambda_1 \rightarrow \lambda_2 \rightarrow \dots$ (λ_i 's are updated sequentially).
7. Similar to 5) and 6), but minimizing $g(\boldsymbol{\lambda})$ with in a Jacobi fashion $\boldsymbol{\lambda} \rightarrow \boldsymbol{\lambda} \rightarrow \dots$ (λ_i 's are updated in parallel). $\lambda_i^{(k+1)}$ is obtained by solving for λ_i in the following fixed-point equation:

$$\frac{g_i \lambda_i}{\exp(U_i'^{-1}(\lambda_i))} = \gamma - \frac{\lambda_i^{(k)}}{P_T} + \frac{\lambda_i}{P_T}.$$

Numerical Results

- Downlink power/rate control problem with 6 nodes with utilities with utilities $U_i(r_i) = \beta_i \log r_i$. Evolution of λ_4 for all 7 methods:



Applic. 2: QoS Rate Allocation (I)

- Consider a NUM problem with different QoS classes:

$$\begin{aligned} & \underset{\mathbf{x}, \mathbf{y}^{(1)}, \mathbf{y}^{(2)} \geq \mathbf{0}}{\text{maximize}} && \sum_s U_s(x_s) \\ & \text{subject to} && \sum_{s \in S_i: l \in L(s)} x_s \leq y_l^{(i)} \quad \forall l, i = 1, 2 \\ & && \mathbf{y}^{(1)} + \mathbf{y}^{(2)} \leq \mathbf{c} \\ & && \mathbf{c}_{\min}^{(i)} \leq \mathbf{y}^{(i)} \leq \mathbf{c}_{\max}^{(i)} \end{aligned}$$

- We will consider:
 - primal decomp. with respect to aggregate rate of each class
 - dual decomp. with respect to total aggregate rate constraints of each class.

Applic. 2: QoS Rate Allocation (II)

- **Primal-Dual Decomposition:** fix aggregate rates $\mathbf{y}^{(1)}$ and $\mathbf{y}^{(2)}$ and problem becomes two basic NUMs, for $i = 1, 2$:

$$\begin{aligned} & \underset{\mathbf{x} \geq \mathbf{0}}{\text{maximize}} && \sum_{s \in S_i} U_s(x_s) \\ & \text{subject to} && \sum_{s \in S_i: l \in L(s)} x_s \leq y_l^{(i)} \quad \forall l \end{aligned}$$

where the fixed aggregate rates $y_l^{(i)}$ play the role of the fixed link capacities in the basic NUM.

- Set of differential prices for each QoS class i : $\boldsymbol{\lambda}^{(i)}$.

Applic. 2: QoS Rate Allocation (III)

- The master primal problem is

$$\begin{aligned} & \underset{\mathbf{y}^{(1)}, \mathbf{y}^{(2)} \geq \mathbf{0}}{\text{maximize}} && U_1^* (\mathbf{y}^{(1)}) + U_2^* (\mathbf{y}^{(2)}) \\ & \text{subject to} && \mathbf{y}^{(1)} + \mathbf{y}^{(2)} \leq \mathbf{c} \\ & && \mathbf{c}_{\min}^{(i)} \leq \mathbf{y}^{(i)} \leq \mathbf{c}_{\max}^{(i)} \quad i = 1, 2 \end{aligned}$$

where $U_i^* (\mathbf{y}^{(i)})$ is the optimal objective value of the problem for the i th class for a given $\mathbf{y}^{(i)}$.

- Each link updates locally the aggregate rates $\mathbf{y}^{(i)}$ and the prices $\boldsymbol{\lambda}^{(i)}$ (subgradient algorithm).

Applic. 2: QoS Rate Allocation (IV)

- Master primal problem can now be solved with a subgradient method by updating the aggregate rates as

$$\begin{bmatrix} \mathbf{y}^{(1)}(t+1) \\ \mathbf{y}^{(2)}(t+1) \end{bmatrix} = \begin{bmatrix} \mathbf{y}^{(1)}(t) \\ \mathbf{y}^{(2)}(t) \end{bmatrix} + \alpha \begin{bmatrix} \boldsymbol{\lambda}^{*(1)}(\mathbf{y}^{(1)}(t)) \\ \boldsymbol{\lambda}^{*(2)}(\mathbf{y}^{(2)}(t)) \end{bmatrix} \Big]_{\mathcal{Y}}$$

where $[\cdot]_{\mathcal{Y}}$ denotes the projection onto the feasible convex set $\mathcal{Y} \triangleq \{ (\mathbf{y}^{(1)}, \mathbf{y}^{(2)}) : \mathbf{y}^{(1)} + \mathbf{y}^{(2)} \leq \mathbf{c}, \mathbf{c}_{\min}^{(i)} \leq \mathbf{y}^{(i)} \leq \mathbf{c}_{\max}^{(i)} \ i = 1, 2 \}$.

- This feasible set decomposes into a Cartesian product for each of the links: $\mathcal{Y} = \mathcal{Y}_1 \times \cdots \times \mathcal{Y}_L$. Subgradient update can be performed independently by each link simply with the knowledge of its corresponding Lagrange multipliers $\lambda_l^{(1)}$ and $\lambda_l^{(2)}$.

Applic. 2: QoS Rate Allocation (V)

- **Partial Dual Decomposition:** dual decomposition by relaxing only the flow constraints $\sum_{s \in S_i: l \in L(s)} x_s \leq y_l^{(i)}$:

$$\begin{aligned}
 & \underset{\mathbf{x}, \mathbf{y}^{(1)}, \mathbf{y}^{(2)} \geq \mathbf{0}}{\text{maximize}} && \sum_{s \in S_1} \left[U_s(x_s) - \left(\sum_{l \in L(s)} \lambda_l \right) x_s \right] \\
 & && + \sum_{s \in S_2} \left[U_s(x_s) - \left(\sum_{l \in L(s)} \lambda_l \right) x_s \right] \\
 & && + \boldsymbol{\lambda}^{(1)T} \mathbf{y}^{(1)} + \boldsymbol{\lambda}^{(2)T} \mathbf{y}^{(2)} \\
 & \text{subject to} && \mathbf{y}^{(1)} + \mathbf{y}^{(2)} \leq \mathbf{c} \\
 & && \mathbf{c}_{\min}^{(i)} \leq \mathbf{y}^{(i)} \leq \mathbf{c}_{\max}^{(i)} \quad i = 1, 2.
 \end{aligned}$$

- Master dual problem updates the prices as usual (subgradient).

Applic. 2: QoS Rate Allocation (VI)

- This problem decomposes into:
 - one maximization for each source as in the basic NUM
 - following maximization to update the aggregate rates:

$$\begin{array}{ll} \text{maximize} & \boldsymbol{\lambda}^{(1)T} \mathbf{y}^{(1)} + \boldsymbol{\lambda}^{(2)T} \mathbf{y}^{(2)} \\ \mathbf{y}^{(1)}, \mathbf{y}^{(2)} \geq \mathbf{0} & \\ \text{subject to} & \mathbf{y}^{(1)} + \mathbf{y}^{(2)} \leq \mathbf{c} \\ & \mathbf{c}_{\min}^{(i)} \leq \mathbf{y}^{(i)} \leq \mathbf{c}_{\max}^{(i)} \quad i = 1, 2 \end{array}$$

which can be solved independently by each link.

Applic. 2: QoS Rate Allocation (VII)


- Summary: We have obtained two different distributed algorithms for rate allocation among QoS classes:
 - **primal-dual decomposition**: master primal problem solved with the subgradient update for the aggregate rate carried out independently by each of the links and then, for a given set of aggregate rates, the two resulting basic NUMs are independently solved via the standard dual-based decomposition.
 - * Two levels of decompositions: on the highest level there is a master primal problem, on a second level there is a secondary master dual problem, and on the lowest level the subproblems. There is no explicit signaling required.

Applic. 2: QoS Rate Allocation (VIII)

- **partial dual decomposition:** master dual problem is solved with the standard price update for each class which is carried out independently by each link and then, for a given set of prices, each source solves its own subproblem as in the canonical NUM and subproblem for the aggregate rate of each class solved independently by each link.
- * Only one level of decomposition and no explicit signaling is required.


Applic. 2: Numerical Results QoS Rate Alloc. (I)

- Example with two classes (class 1 is aggressive $U_1(x) = 12 \log(x)$ and $U_2(x) = 10 \log(x)$ and class 2 not aggressive $U_3(x) = 2 \log(x)$ and $U_4(x) = \log(x)$):



Applic. 2: Numerical Results QoS Rate Alloc. (II)

- With no QoS control, class 1 gets 4.5 out of the total available rate of 5, leaving class 2 only with a rate of 0.5. This is precisely the kind of unfair behavior that can be avoided with QoS control.
- We limit the rate of each class to 3.



Summary

- We have considered the design of networks based on general network utility maximization.
- We have developed a systematic approach to obtain different distributed algorithms for network utility maximization.
- Each distributed algorithm has different characteristics in terms of signalling, speed of convergence, complexity, robustness.
- For each particular application, we can compare the different possibilities and choose the most convenient.

References

- Daniel P. Palomar and Mung Chiang, “Alternative Distributed Algorithms for Network Utility Maximization: Framework and Applications,” *IEEE Trans. on Automatic Control*, vol. 52, no. 12, Dec. 2007.
- Daniel P. Palomar and Mung Chiang, “A Tutorial on Decomposition Methods for Network Utility Maximization,” *IEEE Journal on Selected Areas in Communications*, vol. 24, no. 8, Aug. 2006.